

```

//  

//  main.cpp  

//  Bubble_Sort  

//  

//  Created by Zhenlin Pei on 12/23/18.  

//  Copyright © 2018 Zhenlin Pei. All rights reserved.  

//  

// Optimized implementation of Bubble sort  

#include <stdio.h>  

  

void swap(int *xp, int *yp)  

{  

    int temp = *xp;  

    *xp = *yp;  

    *yp = temp;  

}  

  

// An optimized version of Bubble Sort  

void bubbleSort(int arr[], int n)  

{  

    int i, j;  

    bool swapped;  

    for (i = 0; i < n-1; i++)  

    {  

        swapped = false;  

        for (j = 0; j < n-i-1; j++)  

        {  

            if (arr[j] > arr[j+1])  

            {  

                swap(&arr[j], &arr[j+1]);  

                swapped = true;  

            }
        }
    }

    // IF no two elements were swapped by inner loop, then break  

    if (swapped == false)  

        break;
}
}

/* Function to print an array */  

void printArray(int arr[], int size)  

{  

    int i;  

    for (i=0; i < size; i++)  

        printf("%d ", arr[i]);  

    printf("\n");
}

// Driver program to test above functions

```

```
int main()
{
    int arr[] = {64, 34, 25, 12, 22, 11, 90};
    int n = sizeof(arr)/sizeof(arr[0]);
    bubbleSort(arr, n);
    printf("Sorted array: \n");
    printArray(arr, n);
    return 0;
}
```