

```
//  
//  main.cpp  
//  Heap_Sort  
//  
//  Created by Zhenlin Pei on 12/24/18.  
//  Copyright © 2018 Zhenlin Pei. All rights reserved.  
  
// C++ program for implementation of Heap Sort  
#include <iostream>  
  
using namespace std;  
  
// To heapify a subtree rooted with node i which is  
// an index in arr[]. n is size of heap  
void heapify(int arr[], int n, int i)  
{  
    int largest = i; // Initialize largest as root  
    int l = 2*i + 1; // left = 2*i + 1  
    int r = 2*i + 2; // right = 2*i + 2  
  
    // If left child is larger than root  
    if (l < n && arr[l] > arr[largest])  
        largest = l;  
  
    // If right child is larger than largest so far  
    if (r < n && arr[r] > arr[largest])  
        largest = r;  
  
    // If largest is not root  
    if (largest != i)  
    {  
        swap(arr[i], arr[largest]);  
  
        // Recursively heapify the affected sub-tree  
        heapify(arr, n, largest);  
    }  
}  
  
// main function to do heap sort  
void heapSort(int arr[], int n)  
{  
    // Build heap (rearrange array)  
    for (int i = n / 2 - 1; i >= 0; i--)  
        heapify(arr, n, i);  
  
    // One by one extract an element from heap  
    for (int i=n-1; i>=0; i--)  
    {  
        // Move current root to end  
        swap(arr[0], arr[i]);
```

```
// call max heapify on the reduced heap
heapify(arr, i, 0);
}

/* A utility function to print array of size n */
void printArray(int arr[], int n)
{
    for (int i=0; i<n; ++i)
        cout << arr[i] << " ";
    cout << "\n";
}

// Driver program
int main()
{
    int arr[] = {12, 11, 13, 5, 6, 7};
    int n = sizeof(arr)/sizeof(arr[0]);

    heapSort(arr, n);

    cout << "Sorted array is \n";
    printArray(arr, n);
}
```