

```
//  
// main.cpp  
// Merge_Sort  
//  
// Created by Zhenlin Pei on 12/23/18.  
// Copyright © 2018 Zhenlin Pei. All rights reserved.  
//
```

```
/* C program for Merge Sort */
```

```
#include<stdlib.h>
```

```
#include<stdio.h>
```

```
// Merges two subarrays of arr[].
```

```
// First subarray is arr[l..m]
```

```
// Second subarray is arr[m+1..r]
```

```
void merge(int arr[], int l, int m, int r)
```

```
{
```

```
    int i, j, k;
```

```
    int n1 = m - l + 1;
```

```
    int n2 = r - m;
```

```
    /* create temp arrays */
```

```
    int L[n1], R[n2];
```

```
    /* Copy data to temp arrays L[] and R[] */
```

```
    for (i = 0; i < n1; i++)
```

```
        L[i] = arr[l + i];
```

```
    for (j = 0; j < n2; j++)
```

```
        R[j] = arr[m + 1 + j];
```

```
    /* Merge the temp arrays back into arr[l..r]*/
```

```
    i = 0; // Initial index of first subarray
```

```
    j = 0; // Initial index of second subarray
```

```
    k = l; // Initial index of merged subarray
```

```
    while (i < n1 && j < n2)
```

```
    {
```

```
        if (L[i] <= R[j])
```

```
        {
```

```
            arr[k] = L[i];
```

```
            i++;
```

```
        }
```

```
        else
```

```
        {
```

```
            arr[k] = R[j];
```

```
            j++;
```

```
        }
```

```
        k++;
```

```
    }
```

```
    /* Copy the remaining elements of L[], if there  
    are any */
```

```

while (i < n1)
{
    arr[k] = L[i];
    i++;
    k++;
}

/* Copy the remaining elements of R[], if there
are any */
while (j < n2)
{
    arr[k] = R[j];
    j++;
    k++;
}
}

/* l is for left index and r is right index of the
sub-array of arr to be sorted */
void mergeSort(int arr[], int l, int r)
{
    if (l < r)
    {
        // Same as (l+r)/2, but avoids overflow for
        // large l and h
        int m = l+(r-1)/2;

        // Sort first and second halves
        mergeSort(arr, l, m);
        mergeSort(arr, m+1, r);

        merge(arr, l, m, r);
    }
}

/* UTILITY FUNCTIONS */
/* Function to print an array */
void printArray(int A[], int size)
{
    int i;
    for (i=0; i < size; i++)
        printf("%d ", A[i]);
    printf("\n");
}

/* Driver program to test above functions */
int main()
{
    int arr[] = {12, 11, 13, 5, 6, 7};
    int arr_size = sizeof(arr)/sizeof(arr[0]);

```

```
printf("Given array is \n");  
printArray(arr, arr_size);  
  
mergeSort(arr, 0, arr_size - 1);  
  
printf("\nSorted array is \n");  
printArray(arr, arr_size);  
return 0;  
}
```